


# Prep4Away

Prep4Away

> Contact Us  Login / Register

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)



Try **PDF Demo** before you buy

We're not the only ones **happy** about Prep4away Practice Material ...

56295+ customers in 100+ countries use Prep4away Test Engine. Meet our customers.

 iMessenger

 VOREED

 GetCustom

 JET ORANGE

 iCompany

 Paradoxx



<http://www.prep4away.com/>

Latest Certification Exam Questions & Braindumps - Prep4Away

**Exam :** 000-007

**Title :** IBM Tivoli Netcool/OMNIbus V7.3  
Implementation

**Vendors :** IBM

**Version :** DEMO

NO.1 Which step is critical while calculating sizing for an IBM Tivoli Netcool/OMNIBus system?

- A.Determine the display resolution used by system users.
- B.Determine the number of calls managed by system users.
- C.Determine if network bandwidth will support event throughput.
- D.Determine if a Database Cluster is connected through an OMNIBus Gateway.

Answer: C

NO.2 Which action is required to define groups, once the IBM Tivoli Netcool/OMNIBus is installed?

- A.Verify that each group has access to the system.
- B.Test each user for system access before adding them to a group.
- C.Identify which role each user is going to have and assign them into groups.
- D.Disable default user accounts for System Administration and default Operations accounts.

Answer: C

NO.3 The customer wants all the events to be archived to a file with the name NCOMS.txt. Which type of gateway should be installed?

- A.Reporter Gateway
- B.Archiving Gateway
- C.Flat File Gateway
- D.Event File Gateway

Answer: C

NO.4 A customer has a large, complex environment to monitor, with many sources of events, some at remote

sites. The event volume from these sources is high. There are requirements to do advanced correlation

and event enrichment, as well as providing browser access to event list views for many operators.

Based on the scenario, which type of installation is recommended?

- A.Multi Tier Architecture with Web GUI
- B.Single Tier Architecture with Web GUI
- C.Individual failover server pair per site
- D.Web GUI and OMNIBus installed in single system

Answer: A

NO.5 Which IBM Tivoli Netcool/OMNIBus V7.3 feature must be installed before probe

installation?

Probe Control

Administrator

Probe Support

Process Control

Answer: C

NO.6 What does nco\_p\_syntax do?

A.It connects to the ObjectServer, tests the rules file, and corrects any syntax errors.

B.It connects to the ObjectServer, tests the rules file, and removes lines with syntax errors.

C.It connects to the ObjectServer, tests the rules file, and displays any errors to the screen.

D.It connects to the ObjectServer, tests the rules file, and comments out lines with syntax errors.

Answer: C

NO.7 What does the \$NCHOME/omnibus/log/servername\_profiler\_report.log file contain?

A.historical ObjectServer event reports

B.information of all the profile roles created in the ObjectServer

C.historical information of changes made to the ObjectServer properties

D.information about the amount of time spent running SQL queries for ObjectServer connections

Answer: D

NO.8 All the processes in the current ObjectServer are functioning normally. The customer security

requirements have changed and all the data in the network must be passed securely.

Which change will be made at the ObjectServer level?

A.Just run the Active Event List in the secure mode.

B.Start all the processes under the process control agent.

C.ObjectServer data is encrypted by default so that no change is required.

D.Use SSL communication port and run the ObjectServer by using -secure option.

Answer: D

NO.9 In the probe's rules files, what does the getload() function do?

A.Return the CPU percentage the probe is using.

B.Return the number of events processed per minute.

C.Return the number of events processed per second.

D.Return the percentage of events processed by the probe.

Answer: C

NO.10 Which statement is true regarding Accelerated Event Notification channels?

A.Channels cannot be copied and pasted from one ObjectServer to another.

B.Any authenticated ObjectServer user may create a channel through the Netcool admin client.

C.ObjectServer channels only support the broadcast of data from alerts.status, alerts.journal, and alerts.details.

D.Although channels in different ObjectServers may be named differently, all channels within a single

ObjectServer must have the same name in order for the broadcast function to work correctly.

Answer: A

NO.11 A customer is migrating from IBM Tivoli Enterprise Console (Tivoli Enterprise Console) to IBM Tivoli

Netcool/OMNIBus V7.3 (Tivoli Netcool/OMNIBus V7.3). This customer's environment has many custom

applications sending postmsg events to Tivoli Enterprise Console server.

How will the custom applications send events to Tivoli Netcool/OMNIBus V7.3 environment by making

only minimal changes on the custom applications?

A.Custom applications should be reconfigured to send postmsg events to Tivoli Netcool/OMNIBus V7.3

ObjectServer.

B.Custom applications should be reconfigured to send postmsg events to Tivoli Netcool/OMNIBus V7.3

Tivoli EIF Probe.

C.Custom applications should be reconfigured to send nco\_sendmsg events to Tivoli Netcool/OMNIBus

V7.3 ObjectServer.

D.Custom applications should be reconfigured to send sendmsg events to Tivoli Netcool/OMNIBus V7.3

Probe for Tivoli Common Event Infrastructure.

Answer: B

NO.12 Which step is critical while calculating sizing for an IBM Tivoli Netcool/OMNIBus system?

- A. Determine the appropriate method for migration.
- B. Determine the number of events that will occur per hour.
- C. Determine the number of users configured within OMNIBus.
- D. Determine the number of probes attached to the ObjectServer.

Answer: B

NO.13 Which two options are true about configuring Probes to use failover Netcool Proxy Servers? (Choose two.)

- A. The Probe's "NetworkTimeout" property should be set to 0.
- B. The Probe's "IsOSConnection" property should be set to 0.
- C. The Probe's "IsProxyConnection" property should be set to 1.
- D. The Probe's "Server" property should be configured to point at the primary Proxy Server.
- E. The Probe's "ServerBackup" property should be configured to point at the backup Proxy Server.

Answer: DE

NO.14 What is taken into consideration while calculating sizing for a server that will only run an IBM Tivoli Netcool/OMNIBus ObjectServer ?

- A. number of Web GUI maps configured
- B. number of operator users configured
- C. number of custom SQL triggers configured
- D. number of Process Control agents configured within the solution

Answer: C

NO.15 What is the purpose of the flood.rules file?

- A. Insert flood-related events.
- B. Calculate event rates for detecting event floods.
- C. Parse the information of flood events for correlation.
- D. Delete flood events from IBM Tivoli Netcool/OMNIBus.

Answer: B

NO.16 Which two components are used in the Tivoli Integrated Portal console to create custom screens for users? (Choose two.)

- A. Window
- B. Folders

- C.Portlets
- D.Viewpoints
- E.External URLs

Answer: BE

NO.17 The \$NCHOME/omnibus/log/NCOMS\_profiler\_report.log file contains the following information:

Thu Nov 20 14:02:50 2009: Individual user profiles:

Thu Nov 20 14:02:50 2009: 'Administrator' (uid = 0) time on IBM-ADAF9B5BAFC: 0.020000s

Thu Nov 20 14:02:50 2009: 'PROBE' (uid = 0) time on server1: 55.050000s

Thu Nov 20 14:02:50 2009: 'GATEWAY' (uid = 0) time on server1: 0.000000s

Thu Nov 20 14:02:50 2009: Grouped user profiles:

Thu Nov 20 14:02:50 2009: Execution time for all connections whose application name is 'Administrator':

0.020000s

Thu Nov 20 14:02:50 2009: Execution time for all connections whose application name is 'PROBE':

55.050000s

Thu Nov 20 14:02:50 2009: Execution time for all connections whose application name is 'GATEWAY':

0.000000s

Thu Nov 20 14:02:50 2008: Total time in the report period (59.989325s): 55.070000s

What can be deduced from the log file?

- A.The gateway is not running.
- B.There is a high load of events inserted from the probe.
- C.The bi-directional ObjectServer gateway is in failover mode.
- D.There are too many clients connected to the ObjectServer.

Answer: B

NO.18 The customer is upgrading from Tivoli Integrated Portal (Webtop 2.2) to Web GUI. Which file should be restored to get all the filters?

- A.install\_dir/profiles/TIPProfile/etc/WebGUI/WebGUI\_22
- B.install\_dir/profiles/TIPProfile/etc/WebGUI/WebGUI\_21
- C.install\_dir/profiles/TIPProfile/etc/WebGUI/deprecated
- D.install\_dir/profiles/TIPProfile/etc/WebGUI/migrated\_data

Answer: C

NO.19 Which probe will be required to integrate events from IBM Tivoli Enterprise Console

with IBM Tivoli  
Netcool/OMNIbus?  
A.TEC probe  
B.Syslog probe  
C.MTTrapd probe  
D.Tivoli EIF probe  
Answer: D

NO.20 Which three groups are identified when creating users for IBM Tivoli  
Netcool/OMNIbus? (Choose  
three.)  
A.Operators  
B.Root Group  
C.Super Users  
D.Support Staff  
E.Desktop Users  
F.Administrators  
Answer: ACF